




ZZJG VALVE

Pluger Globe Valve



ZHENGZHOU JINGGONG VALVE CO., LTD

Pluger Globe Valve



UJ41H/UJ41Y DN15~DN500 1/2"~20" Class150/Class300/Class600/Class900

Pluger Globe Valve

		1.6MPa			UJ41H-16C			UJ41W-16CP/R							
DN (mm)		15	20	25	32	40	50	65	80	100	125	150	200	250	
Main Dimensions (mm)	L	130	150	160	180	200	230	290	310	350	400	480	600	650	
	D	95	105	115	135	145	160	180	195	215	245	280	335	405	
	D1	65	75	85	100	110	125	145	160	180	210	240	295	355	
	D2	45	55	65	78	85	100	120	135	155	185	210	265	320	
	b	14	14	14	16	16	16	18	20	20	22	24	26	30	
	Z-φd	4-φ14	4-φ14	4-φ14	4-φ18	4-φ18	4-φ18	4-φ18	8-φ18	8-φ18	8-φ18	8-φ18	8-φ23	12-φ23	12-φ25
	H	133	170	178	195	230	250	272	300	312	365	400	460	940	
Weight	kg	3.6	4.5	6	8	11	15	21	32	44	62	85	148	260	
		2.5MPa			UJ41H-25C			UJ41W-25CP/R							
DN (mm)		15	20	25	32	40	50	65	80	100	125	150	200	250	
Main Dimensions (mm)	L	130	150	160	180	200	230	290	310	350	400	480	600	650	
	D	95	105	115	135	145	160	180	195	230	270	300	360	425	
	D1	65	75	85	100	110	125	145	160	190	220	250	310	370	
	D2	45	55	65	78	85	100	120	135	160	188	218	278	332	
	b	16	16	14	18	18	20	22	22	24	2/	30	34	36	
	Z-φd	4-φ14	4-φ14	4-φ14	4-φ18	4-φ18	4-φ18	4-φ18	8-φ18	8-φ18	8-φ23	8-φ25	8-φ25	12-φ30	12-φ30
	H	133	170	178	195	230	250	272	300	312	365	410	470	940	
Weight	kg	3.5	4.5	6	8	11	16	22	32	48	65	90	165	280	
		4.0MPa			UJ41H-40C			UJ41W-40CP/R							
DN (mm)		15	20	25	32	40	50	65	80	100	125	150	200	250	
Main Dimensions (mm)	L	130	150	160	180	200	230	290	310	350	400	480	600	650	
	D	95	105	115	135	145	160	180	195	230	270	300	375	445	
	D1	65	75	85	100	110	125	145	160	190	220	250	320	385	
	D2	45	55	65	78	85	100	125	135	160	188	218	282	345	

	D6	40	51	58	66	76	88	110	121	150	176	204	260	313
	b	16	16	16	18	18	20	22	22	24	28	30	38	42
	Z- φd	4- φ14	4- φ14	4- φ18	4- φ18	4- φ18	4- φ18	8- φ18	8- φ18	8- φ23	8- φ25	8- φ25	12- φ30	12- φ34
	H	133	170	178	195	230	250	272	300	312	365	410	580	940
Weight	kg	3.5	4.5	6	8	11	16	22	32	48	75	120	185	320
		6.4MPa			U41H-64C				UJ41H-64P/R					
DN (mm)		15	20	25	32	40	50	65	80	100	125	150	200	250
Main Dimensions (mm)	L	170	190	210	230	260	300	340	380	430	500	550	650	775
	D	105	125	135	150	165	175	200	210	250	295	340	405	470
	D1	75	90	100	110	125	135	160	170	200	240	280	345	400
	D2	55	68	78	82	95	105	130	140	168	202	240	300	352
	D6	40	51	58	66	76	88	110	121	150	176	204	260	313
	b	18	20	22	24	24	26	28	30	32	36	38	44	48
	Z- φd	4- φ14	4- φ18	4- φ14	4- φ23	4- φ23	4- φ23	8- φ23	8- φ23	8- φ25	8- φ30	8- φ34	8- φ34	12- φ34
H	150	165	185	200	235	260	285	320	340	400	450	500	980	
Weight	kg	6	8	9	14	22	30	40	70	98	150	260	400	520
		10.0MPa			UJ41H-100				UJ41H-100P/R					
DN (mm)		15	20	25	32	40	50	65	80	100	125	150	200	250
Main Dimensions (mm)	L	170	190	210	230	260	300	340	380	430	500	550	650	775
	D	105	125	135	150	165	195	220	230	265	310	350	430	500
	D1	75	90	100	110	125	145	170	180	210	250	290	360	430
	H	150	165	185	200	230	250	280	300	340	400	460	520	980
Weight	kg	6	8	10	16	26	34	48	96	130	250	380	510	660
		16.0MPa			UJ41H-160									
DN (mm)		15	20	25	32	40	50	65	80	100	125	150	200	250
Main Dimensions (mm)	L	165	190	216	229	241	292	330	356	432	508	559	660	787
	D	105	130	140	155	170	195	220	230	265	315	355	430	515
	D1	75	90	100	110	125	145	170	180	210	250	290	360	430
	H	180	200	220	270	280	290	320	350	380	460	540	1000	1100
Weight	kg	11	21	29	38	41	58	80	110	135	182	305	520	846



CONTACT US!

ZHENGZHOU JINGGONG VALVE CO., LTD

Phone: +86-371-55659925

Mobile: 0086 18135671959

Email: info@zzjgvalve.com

Website: www.zzjgvalve.com

Factory Address: Chuangye Road, Gaoshan Town, Zhengzhou City, China